

Residential Structure Fire Causes

Report Parameters:

Report Period: 1/1/08 - 12/31/08

Version: Both

Status: All

Released: All

Report Filters: No Filters Applied

NOTE: Report Filter Groups are applied to the report SQL as "AND" conditions (i.e. Group 1 AND Group 2 AND Group 3 etc...)

State: FL

Report FDIDs: 08062

Residential Structure Fire Causes

State: FL Report Period: 1/1/08 - 12/31/08

CODE	CATEGORY	FREQ	FREQ %	CIV DTHS	CIV DTHS %	CIV INJS	CIV INJS %	FF DTHS	FF DTH %	FF INJS	FF INJS %	PROP LOSS	PROP LOSS %	CONT LOSS	CONT LOSS %	TOTAL LOSS	TOT LOSS %
01	Incendiary, Suspicious	1	10.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	75,000	17.56%	10,000	5.88%	85,000	14.24%
02	Children Playing	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
03	Smoking	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
04	Heating	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
05	Cooking	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
06	Electrical Distribution	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
07	Appliances, Air Conditioning	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
08	Open Flame, Ember, Torch	3	30.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	52,000	12.18%	10,000	5.88%	62,000	10.38%
09	Other Heat, Flame, Spark	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
10	Other Equipment	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
11	Natural	1	10.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
12	Exposure	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%
13	Unknown Cause	5	50.00%	0	0.00%	0	0.00%	0	0.00%	0	0.00%	300,000	70.26%	150,015	88.24%	450,015	75.38%
Totals		10	100.00%	0	100.00%	0	100.00%	0	100.00%	0	100.00%	427,000	100.00%	170,015	100.00%	597,015	100.00%